

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:  
**BRUCE PURKEY**

Serial No. 09/938,796

Filing Date: **August 24, 2001**

For: CAPACITOR-BASED POWERING  
SYSTEM AND ASSOCIATED METHODS

Attorney Docket No.  
**26640A**

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Assistant Commissioner for Patents  
Washington, D.C. 20231

Sir:

Responsive to the Notice to File Corrected  
Application Papers mailed September 27, 2001, Applicants  
enclose the following:

- 1) Substitute Formal Drawings.
- 2) Copy of "Notice to File Corrected Application Papers" mailed September 27, 2001.

If any additional extension and/or fee is required,  
charge Account No. **01-0484**.

Respectfully submitted,


Richard A. Hinson

RICHARD A. HINSON  
Reg. No. 47,652  
Allen, Dyer, Doppelt, Milbrath  
& Gilchrist, P.A.  
255 S. Orange Avenue  
Suite 1401  
Post Office Box 3791  
Orlando, Florida 32802  
407/841-2330

A 4



## UNITED STATES PATENT AND TRADEMARK OFFICE



COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

| APPLICATION NUMBER | FILING/RECEIPT DATE | FIRST NAMED APPLICANT | ATTORNEY DOCKET NUMBER |
|--------------------|---------------------|-----------------------|------------------------|
| 09/938,796         | 08/24/2001          | Bruce Purkey          | PURKEY-26640A          |

CONFIRMATION NO. 2162

## FORMALITIES LETTER



\*OC00000006801339\*

RICHARD A. HINSON, ESQUIRE  
ALLEN, DYER, DOPPELT, MILBRATH & GILCHRIST, P.A.  
P.O. Box 3791  
Orlando, FL 32802-3791

Date Mailed: 09/27/2001

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

09/28/01 09:15:02